US Concrete Products US Floor Level Primer

MATERIAL SAFETY DATA SHEET

I. PRODUCT AND COMPANY IDENTIFICATION

Company: US Concrete Products

Address: 16 Greenmeadow Drive, #202

Timonium, MD 21093

Product Name: US Floor Level Primer

Product Description: Cementitious\ Repair Mortar

Emergency Contact No.: 1-800-424-9300

Date Prepared or Revised: March 2015

II. HAZARD IDENTIFICATION



Physical Hazards: Not Classified

Health Hazards: Skin Corrosion/Irritation Category 2
Serious Eye Damage/Irritation Category 2

STOT, Single Exposure Category 3 (Respiratory Irritation)

Environmental Hazards: Not Classified **OSHA Hazards:** Combustible Dust

Signal Word: WARNING!

Hazard Statements: May causes skin irritation. May causes serious eye irritation. May cause respiratory irritation.

Precautionary Statements:

Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe

dust, fumes, or vapors. Use only outdoors or in a well-ventilated area. Do not eat, drink, or smoke when using this product. Do not allow dust to build up on surfaces. Wash thoroughly

after handling. Contaminated clothing should not be allowed out of the workplace.

Response: If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Storage: Store locked up. Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national regulations.

Hazards Not Otherwise Classified (HNOC): None known

III. COMPOSITION / INFORMATION ON INGREDIENTS

General Information: This product is a mixture. Hazardous ingredients for each component are listed below. May included other nonhazardous ingredients.

Chemical Names	CAS Numbers	Weight %
Ethylene-Vinyl Acetate Copolymer	n/a	>50

USCP Floor Level Primer Page 1 of 5

US Concrete Products US Floor Level Primer MATERIAL SAFETY DATA SHEET

IV. FIRST AID MEASURES

Eve Contact: Immediately flush eyes with plenty of cool water for at least 15 minutes while holding

the eyes open. If redness, burning, blurred vision, or swelling persists, CONSULT A

PHYSICIAN.

Skin Contact: Remove product and immediately wash affected area with soap and water. Do not

> apply greases or ointments. Remove contaminated clothing. Wash clothing with soap and water before reuse. If redness, burning, or swelling persists, CONSULT A

Rinse mouth immediately DO NOT INDUCE VOMITING. **Ingestion:**

Inhalation: Remove patient to fresh air. If patient continues to experience difficulty breathing,

CONSULT A PHYSICIAN.

FIRE-FIGHTING MEASURES

Flashpoint: N/A Flammability: Does not ignite

Suitable Extinguishing Media: Not Applicable

Additional Information: Product itself is non-combustible. Only the packaging materials can catch fire.

The extinguishing agent normally used are sufficient.

Product is not combustible or explosive. **Hazards during Fire-Fighting:**

Protective Equipment for Fire-Fighting: self-contained breathing apparatus is recommended to limit exposure to other

combustion products when fighting any fire

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use cautious judgment when cleaning up spill. Shut off leaks, if possible without

personal risk. Wear suitable protective clothing, gloves and eye/face protection.

Evacuate personnel to safe areas.

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, **Environmental Precautions:**

and soils.

Clean-up Methods: Small spills: Soak up with absorbent material such as clay, sand or other suitable non-

> reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Large spills: Approach suspected leak areas with caution. Create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal.

Notify authorities if any exposures to the general public or environment occur or are **Additional Information:**

likely to occur. Dispose in accordance with federal, state, and local regulations Avoid dust formation. Avoid contact with skin and eyes. Use personal protective

clothing. Handle in accordance with good building materials hygiene and safety practice.

Environmental Precautions: Do not discharge into drains/surface waters/groundwater.

Avoid raising dust. For small amounts: Pick up with suitable appliance and dispose of. Cleanup:

For large amounts: Pick up with suitable appliance and dispose of. Pack in tightly closed

containers for disposal. For residues: Rinse with plenty of water.

VII. STORAGE AND HANDLING

Personal Precautions:

Handling General Advice: Avoid dust formation. The Cement contained in this product reacts alkaline when in

contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large

quantities are decanted without local exhaust ventilation.

Protection Against Fire and Explosion: No special precautions necessary.

Storage General Advice: Containers should be stored tightly sealed in a dry place. Storage Incompatibility:

General advice: Segregate from metals. Segregate from acids. Segregate from dyes.

Segregate from oxidants. Protect from freezing. Store locked up.

USCP Floor Level Primer Page 2 of 5

US Concrete Products US Floor Level Primer

MATERIAL SAFETY DATA SHEET

VIII. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment

Respiratory Protection: Breathing protection if dusts are formed.

Hand Protection: Chemical resistant protective gloves, Manufacturer's directions for use should be

observed because of great diversity of types.

Eye Protections: Tightly fitting safety goggles (chemical goggles).

Body Protections: Body protection must be chosen based on level of activity and exposure.

General Safety and Hygiene Measures: Avoid contact with skin, eyes and clothing. Avoid inhalation of dusts. In order to

prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift, the skin should be cleaned and skin care agents applied. Gloves must be inspected regularly and prior to

each use. Replace if necessary (e.g. pinhole leaks)

IX. PHYSICAL AND CHEMICAL PROPERTIES

Form:LiquidFreezing Point: $>32\,^{\circ}F$ (0°C)Color:WhiteFlash Point:nonflammable.Odor:sweetSpecific Gravity: $1.07\,^{\circ}$ 7°F

Vapor Pressure:N/AVapor Density>1Solubility:DispersibleKow:N/AMelting Temperature:>1000°CPhysical State:Liquid

PH: 4.8

X. REACTIVITY DATA

Stability: Stable under normal storage conditions.

Condition to Avoid: High Heat and Flame. Do not let material freeze

Substance to Avoid: Strong oxidizing agents

Hazardous Reactions: Hazardous polymerization will not occur.

Decomposition Products: Carbon Dioxide, carbon monoxide, oxides of nitrogen and other organic compounds.

XI. TOXICOLOGICAL PROPERTIES

Acute Oral (LD_{50} , Rat):Non toxicAcute Dermal (LD_{50} , Rabbit):N/EAcute Inhalation (LC_{50} , Rat):N/E

Chronic Health Hazard:

Irritation / Corrosion: Information on: Cement, Portland. Assessment of Irritating effects: Skin contact causes

irritation. May cause severe damage to the eyes.

Repeated Dose Toxicity: Information on: Crystaline Silica. Repeated inhalation exposure may affect certain

organs. The substance may cause increase in lung mass and lung tissue changes after repeated inhalation. This product may contain greater than 0.1% crystalline silica. Repeated exposure to high concentrations results in silicosis, a lung disease characterized

by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-

specific chest illnesses.

Carcinogenicity: Information on: Crystaline Silica: In long-term studies in rats and mice in which the

substance was given by feed, a carcinogenic effect was not observed. In long-term animal studies in which the substance was given by inhalation in high doses, a carcinogenic effect was observed. The substance and its compounds in the form of respirable dusts/aerosolsis classified by the German MAK commission as a category 1 carcinogen (substances that cause cancer to humans). A carcinogenic effect cannot safely be ruled out. The inhalation uptake of the alveolar fraction of the fine dust may cause damage to the lungs. The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen. The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1

(known) human carcinogen NTP listed carcinogen

USCP Floor Level Primer Page 3 of 5

US Concrete Products US Floor Level Primer

MATERIAL SAFETY DATA SHEET

Experiences in Humans: Other Information:

Information on: Crystaline Silica May cause silicosis.

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from

products of a similar structure and composition.

XII. Ecological Information

General Information: Information given is based on data on the components and the ecotoxicology of similar

products. This material is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment

Supporting Data: Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential: Not expected to bioaccumulate.

Mobility in soil: No data available.

Other Adverse Effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

XIII.

DISPOSAL CONSIDERATIONS

Waste Disposal of Substance: This material is not a hazardous waste by RCRA criteria (40 CFR 261). Dispose of in

accordance with local authority regulations. Do not discharge into drains/surface

waters/groundwater.

Container Disposal: Completely emptied packaging can be given for recycling.

XIV. TRANSPORTATION

DOT: Not Regulated For Transport

ICAO/IATA:

Not classified as a dangerous good under transport regulations
IMDG:

Not classified as a dangerous good under transport regulations

XV. REGULATORY INFORMATION

Country	Regulatory List
USA	TSCA


EPA SARA Title III Section 312 (40 CFR 370) Hazardous Classification: Acute/Chronic

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level: None.

US. California "Safe Drinking Water and Toxic Enforcement Act" (Proposition 65): This product contains a chemicals that are known to the State of California to cause cancer


mponent	Regulation	Concentration	Remarks
Silicon Dioxide	ACGIH	Trace	Carcinogenic

XVI. OTHER INFORMATION



USCP Floor Level Primer Page 4 of 5

US Concrete Products US Floor Level Primer MATERIAL SAFETY DATA SHEET



Legend:

ACGIH: American Conference of Governmental Industrial Hygienists

CAS No.: Chemical Abstract Service Registry Number

CERCLA: Comprehensive Environmental Response, Compensation and Liability Act (U.S. EPA)

CPR: Controlled Product Regulations (Canada)
DOT: Department of Transportation (U.S.)
EPA: Environmental Protection Agency (U.S.)

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HEPA: High-Efficiency Particulate Air

HMIS: Hazardous Materials Identification System
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association
 IMDG: International Maritime Dangerous Goods code

LPP: Limité Permisible Ponderado (Chile)

NIOSH: National Institute of Occupational Safety and Health (U.S.)

NFPA: National Fire Protection Association (US)
NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (U.S.)

PEL: Permissible Exposure Limit

SARA: Superfund Amendments and Reauthorization Act (U.S. EPA)

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit (15 minute Time Weighted Average)

STOT: Specific Target Organ Toxicity (GHS Classification)

TLV: Threshold Limit Value

TSCA: Toxic Substances Control Act (U.S.)

TWA: Time Weighted Average (exposure for 8-hour workday)

U.S.: United States

VOC: Volatile Organic Compounds

WHMIS: Canadian Workplace Hazardous Materials Information System

Safety Data Sheet (SDS) is prepared in compliance with the requirements of OSHA 29 CFR Part 1910.1200. The information it contains is offered in good faith as accurate as of the date of this SDS. This SDS is provided solely for the purpose of conveying health, safety, and environmental information. No warranty, expressed or implied, is given. Health and Safety precautions may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.

© Copyright 2015 USCP

USCP Floor Level Primer Page 5 of 5